



Skeletal muscle-derived IL-6 orchestrates physiological adaptations in the context of inflammation

Maxim Nosenko*, Anastasiya Yakovleva, Denis Anisov, Kamar-Sulu Atretkhany, Marina Drutskaya, Sergei Nedospasov
Engelhardt Institute of Molecular Biology, Moscow, Russia
*current affiliation Trinity College Dublin, Dublin, Ireland; maxim.nosenko@tcd.ie


Introduction



Experimental design



Results, part I: IL-6 mediates various physiological adaptations to LPS-induced inflammation



References:

1. Kistner, T.M., Pedersen, B.K. & Lieberman, D.E. Interleukin 6 as an energy allocator in muscle tissue. *Nat Metab* 4, 170–179 (2022). doi: [10.1038/s42255-022-00538-4](https://doi.org/10.1038/s42255-022-00538-4)
2. Bluthé RM, Michaud B, Poli V, Dantzer R. Role of IL-6 in cytokine-induced sickness behavior: a study with IL-6 deficient mice. *Physiol Behav*. 2000 Aug-Sep;70(3-4):367-73. doi: [10.1016/s0031-9384\(00\)00269-9](https://doi.org/10.1016/s0031-9384(00)00269-9)
3. Castell JV, Gómez-Lechón MJ, David M, Andus T, Geiger T, Trullenque R, Fabra R, Heinrich PC. Interleukin-6 is the major regulator of acute phase protein synthesis in adult human hepatocytes. *FEBS Lett.* 1989 Jan 2;242(2):237-9. doi: [10.1016/0014-5793\(89\)80476-4](https://doi.org/10.1016/0014-5793(89)80476-4)
4. Strassmann G, Fong M, Windsor S, Neta R. The role of interleukin-6 in lipopolysaccharide-induced weight loss, hypoglycemia and fibrinogen production, *in vivo*. *Cytokine*. 1993 Jul;5(4):285-90. doi: [10.1016/1043-4666\(93\)90058-d](https://doi.org/10.1016/1043-4666(93)90058-d)
5. Schindler R, Mancilla J, Endres S, Ghorbani R, Clark SC, Dinarello CA. Correlations and interactions in the production of interleukin-6 (IL-6), IL-1, and tumor necrosis factor (TNF) in human blood mononuclear cells: IL-6 suppresses IL-1 and TNF. *Blood*. 1990 Jan 1;75(1):40-7.